

App. No. 10/099,775  
Attorney Docket 3206.2.1 NP

**Amendments to the Claims**

RECEIVED  
CENTRAL FAX CENTER

JAN 29 2007

1. (Currently Amended) An architectural system comprising:

a triangular base comprising:

first, second and third complete struts substantially aligned along first, second and third axes (AB, BC, and AC) respectively, the axes all contained within a base plane, the first and third axes forming a first base angle CAB, the first and second axes forming a second base angle ABC, the second and third axes forming a third acute base angle BCA, more than one of the struts each comprising at least two rigid pieces able to move apart so as to produce a strut elongation;

a first node A engaging the first and third complete struts, the first node A large enough to maintain the first base angle CAB, the first base angle CAB consisting of [at] a first positive value about equal to  $(j \times 20.9^\circ + k \times 31.7^\circ + m \times 36^\circ + n \times 37.4^\circ)$ , where j, k, m and n are each an integer less than three;

a second node B engaging the first and second complete struts, the second node B large enough to maintain the second base angle ABC, the second base angle ABC consisting of [at] a second positive value about equal to  $(q \times 20.9^\circ + r \times 31.7^\circ + s \times 36^\circ + t \times 37.4^\circ)$ , where q, r, s, and t are each an integer less than three;

a third node C engaging the second and third complete struts, the third node C large enough to maintain the third base angle BCA at a third positive value less than  $60^\circ$ ; and

App. No. 10/099,775  
Attorney Docket 3206.2.1 NP

an extension engaging the triangular base and comprising a fourth complete strut substantially aligned along a fourth axis that forms a substantially acute angle  $> 3^\circ$  with the base plane.

2. (previously presented) The architectural system of claim 1 in which the fourth axis forms an angle DAB with the first axis that is substantially equal to a reference angle selected from a group consisting of  $13.3^\circ$ ,  $15.5^\circ$ ,  $20.9^\circ$ ,  $22.2^\circ$ ,  $31.7^\circ$ ,  $35.3^\circ$ ,  $36^\circ$ ,  $37.4^\circ$ ,  $37.8^\circ$ ,  $41.8^\circ$ ,  $44.5^\circ$ ,  $45^\circ$ ,  $54.7^\circ$ ,  $58.3^\circ$ ,  $60^\circ$ ,  $63.4^\circ$ ,  $65.9^\circ$ ,  $69.1^\circ$ ,  $70.5^\circ$ ,  $72^\circ$ ,  $75.5^\circ$ ,  $76.7^\circ$ ,  $79.2^\circ$ ,  $82.2^\circ$ ,  $90^\circ$ ,  $97.8^\circ$ ,  $100.8^\circ$ ,  $103.3^\circ$ ,  $104.5^\circ$ ,  $108^\circ$ ,  $109.5^\circ$ ,  $110.9^\circ$ ,  $114.1^\circ$ ,  $116.6^\circ$ ,  $120^\circ$ ,  $121.7^\circ$ ,  $125.3^\circ$ ,  $135^\circ$ ,  $135.5^\circ$ ,  $138.2^\circ$ ,  $142.2^\circ$ ,  $142.6^\circ$ ,  $144^\circ$ ,  $144.7^\circ$ ,  $148.3^\circ$ ,  $155.9^\circ$ ,  $157.8^\circ$ ,  $159.1^\circ$ ,  $164.5^\circ$ , and  $166.7^\circ$ .

3. (previously presented) The architectural system of claim 1 in which the fourth axis forms an angle with the second axis that is substantially equal to a reference angle selected from a group consisting of  $13.3^\circ$ ,  $15.5^\circ$ ,  $20.9^\circ$ ,  $22.2^\circ$ ,  $31.7^\circ$ ,  $35.3^\circ$ ,  $36^\circ$ ,  $37.4^\circ$ ,  $37.8^\circ$ ,  $41.8^\circ$ ,  $44.5^\circ$ ,  $45^\circ$ ,  $54.7^\circ$ ,  $58.3^\circ$ ,  $60^\circ$ ,  $63.4^\circ$ ,  $65.9^\circ$ ,  $69.1^\circ$ ,  $70.5^\circ$ ,  $72^\circ$ ,  $75.5^\circ$ ,  $76.7^\circ$ ,  $79.2^\circ$ ,  $82.2^\circ$ ,  $90^\circ$ ,  $97.8^\circ$ ,  $100.8^\circ$ ,  $103.3^\circ$ ,  $104.5^\circ$ ,  $108^\circ$ ,  $109.5^\circ$ ,  $110.9^\circ$ ,  $114.1^\circ$ ,  $116.6^\circ$ ,  $120^\circ$ ,  $121.7^\circ$ ,  $125.3^\circ$ ,  $135^\circ$ ,  $135.5^\circ$ ,  $138.2^\circ$ ,  $142.2^\circ$ ,  $142.6^\circ$ ,  $144^\circ$ ,  $144.7^\circ$ ,  $148.3^\circ$ ,  $155.9^\circ$ ,  $157.8^\circ$ ,  $159.1^\circ$ ,  $164.5^\circ$ , and  $166.7^\circ$ .

App. No. 10/099,775  
Attorney Docket 3206.2.1 NP

4. (previously presented) The architectural system of claim 1 in which the fourth axis forms a fourth angle with another of the axes that is substantially equal to a reference angle selected from a group consisting of 13.3°, 15.5°, 20.9°, 22.2°, 31.7°, 35.3°, 36°, 37.4°, 37.8°, 41.8°, 44.5°, 45°, 54.7°, 58.3°, 60°, 63.4°, 65.9°, 69.1°, 70.5°, 72°, 75.5°, 76.7°, 79.2°, 82.2°, 90°, 97.8°, 100.8°, 103.3°, 104.5°, 108°, 109.5°, 110.9°, 114.1°, 116.6°, 120°, 121.7°, 125.3°, 135°, 135.5°, 138.2°, 142.2°, 142.6°, 144°, 144.7°, 148.3°, 155.9°, 157.8°, 159.1°, 164.5°, and 166.7°.
5. (original) The architectural system of claim 4 in which one of the struts has a maximum diameter D and in which one of the nodes has a radius R that is not less than D/2.
6. (Currently Amended) The architectural system of claim 4 ~~in which the extension further comprises~~ further comprising a polygon structure coupled to the fourth complete strut, the polygon structure having N sides each occupied by a respective complete strut, the third axis containing one of the N sides, the fourth axis containing another of the N sides wherein the fourth complete strut forms a portion of the polygon structure.
7. (original) The architectural system of claim 4 in which  $j=0$ .
8. (original) The architectural system of claim 4 in which j and q are both even.
9. (original) The architectural system of claim 4 in which  $j=1$ .

App. No. 10/099,775  
Attorney Docket 3206.2.1 NP

10. (original) The architectural system of claim 4 in which  $n$  and  $t$  are both even.
11. (original) The architectural system of claim 4 in which each of the nodes has a radius  $R$  and in which each of the struts has a respective diameter less than  $2R$ .
12. (original) The architectural system of claim 4 in which the second node includes first and second couplings respectively engaging the first and second complete struts, the first coupling capable of retaining the first strut under a tension of 100 Newtons along the first axis (AB), the second coupling capable of retaining the second strut under a tension of 100 Newtons along the second axis (BC).
13. (original) The architectural system of claim 4 in which the struts are primarily composed of a non-metallic material.
14. (original) The architectural system of claim 4 in which  $m=0$ .
15. (original) The architectural system of claim 1 in which  $m=0$ .
16. (previously presented) The architectural system of claim 1 in which  $j \neq q$ .
17. (original) The architectural system of claim 1 in which  $q < 2$ .
18. (original) The architectural system of claim 1 in which  $k=0$ .

App. No. 10/099,775  
Attorney Docket 3206.2.1 NP

19. (original) The architectural system of claim 1 in which  $k$  and  $r$  are both even.
20. (previously presented) The architectural system of claim 1 in which  $k \neq 1$ .
21. (original) The architectural system of claim 1 in which  $n=t$ .
22. (original) The architectural system of claim 1 in which  $j=0$ .
23. (original) The architectural system of claim 1 in which  $j$  and  $q$  are both even.
24. (original) The architectural system of claim 1 in which  $j=1$ .
25. (canceled)